AUDIO DESIGN

Interior Acoustic Solutions

Functional Acoustic Design

AUDIO DESIGNBG
Phone: (+359) 888 440504
Email: office@audio-designbg.com
web: www.audio-designbg.com

Quadro RASTER absorber line



FEATURES Quadro Raster

Quadro raster panel® is made from acoustic foam and designed for absorption in mid/high frequencies. The geometry and size of the raster make Quadro panel attractive solution for any room. Each panel has special air cavities and slots which extend the efficiency of the panel combining modern design and acoustic efficiency. The Quadro panel is commonly used to control reflections and excess reverberation, helping you maximize the performance of your listening space.

APPLICATIONS Quadro Raster

Residential premises, Open Space Offices, Call Centers, Phone Boots, Conference Rooms, Home Cinema, Classrooms, Auditoriums, Restaurants, Cafeterias, Performance Spaces, Server Rooms, Public Spaces, etc.

TECHNICAL INFORMATION Quadro Raster

Material: Acoustic foam
Fire Rating: Foam - M1;
Installation: On wall/ceiling attached with glue
Dimensions: 500 x 500 x 75 mm
Weight: 0.430 kg
Color: Dark grey

PERFORMANCE Quadro Raster



AUDIO DESIGNBG
Phone: (+359) 888 440504
Email: office@audio-designbg.com
web: www.audio-designbg.com

Re-Quadro RASTER absorber line





FEATURES Re-Quadro Raster

RE-QUADRO panel® is made from acoustic and designed for absorption in mid/high frequencies. The geometry and the size of the raster make Re-quadro panel attractive solution for any room especially with his pyramid design. Like the Square panel, Re-quadro has special air cavities and slots which extend the efficiency of the panel combining modern design and acoustic efficiency. The Re-quadro panel is commonly used to control reflections and excess reverberation, helping you maximize the performance of your listening space.

APPLICATIONS Re-quadro Raster

Open Space Offices, Call Centers, Phone Boots, Conference Rooms, Home Cinema, Classrooms, Auditoriums, Restaurants, Cafeterias, Performance Spaces, Server Rooms, Public Spaces, Residential places, etc.

TECHNICAL INFORMATION Re-quadro Raster

Material: Acoustic foam
Fire Rating: Foam - M1;
Installation: On wall/ceiling attached with glue
Dimensions: 500 x 500 x 75 mm
Weight: 0.430 kg
Color: Dark grey

PERFORMANCE Re-quadro Raster



AUDIO DESIGNBG
Phone: (+359) 888 440504
Email: office@audio-designbg.com
web: www.audio-designbg.com

AUDIO DESIGNBG
Phone: (+359) 888 440504
Email: office@audio-designbg.com
web: www.audio-designbg.com

AUDIO DESIGNBG
Phone: (+359) 888 440504
Email: office@audio-designbg.com
web: www.audio-designbg.com

Mirror RASTER absorber line

FEATURES Mirror Raster

Mirror panel® is made from acoustic foam coated with textile veil designed for absorption in mid/high frequencies. The geometry and the size of the panels make Mirror panel cost effective solution for any office space. Each panel is made from acoustic foam covered with color fabric creating one attractive acoustic solution. The Mirror panel is commonly used to control reflections and echo processes, helping you maximize the performance of your office space.

APPLICATIONS Mirror Raster

Residential premises, Open Space Offices, Call Centers, Hospitals, Sport Centers, Phone Boots, Conference Rooms, Home Cinema, Classrooms, Auditoriums, Restaurants, Cafeterias, Performance Spaces, Server Rooms, Public Spaces, etc.

TECHNICAL INFORMATION Mirror Raster

Material: Acoustic foam coated with Textile veil
Fire Rating: Foam - M1; Textile Cover BS: 5852
Installation: On wall/ceiling attached with glue
Dimensions: 1000/500 x 500 x 40 mm
Weight: 0.790/0.414 kg
Color: 13 colors available

PERFORMANCE Mirror Raster



According to ISO 354:2003

AUDIO DESIGNBG
Phone: (+359) 888 440504
Email: office@audio-designbg.com
web: www.audio-designbg.com

Hex-Tex RASTER absorber line



FEATURES Hex-T Raster

Hex-Теьтиле raster® is made from acoustic foam designed for absorption in mid/high frequencies. The cell geometry and the size of the panel makes the panel attractive solution for your phone booth or meeting pod. Each panel heart is made from acoustic foam covered with colorful textile veil. The design is inspired by honeycomb cell and is always modern solution for any office ambience.

APPLICATIONS Hex-T Raster

Phone Booths, Meeting Rooms, TV studios, Home Cinema, Music Rooms, Hotel receptions, Office premises, Vocal Classrooms, Auditoriums, Restaurants, Cafeterias, Live Performance Spaces, Public Spaces, etc.

TECHNICAL INFORMATION Hex-T Raster

Material: Acoustic foam and textile veil
Installation: On wall/ceiling attached with glue
Dimensions: 6x150mm, Width: 40mm, Diameter: 300mm
Weight: 0.15 kg
Color: 20 colors available

PERFORMANCE Hex-T Raster



According to ISO 354:2003

AUDIO DESIGNBG
Phone: (+359) 888 440504
Email: office@audio-designbg.com
web: www.audio-designbg.com

Hex-Felt RASTER absorber line





FEATURES Hex-Felt Raster

Hex Felt® is made from acoustic foam core designed for absorption in mid/high frequencies. Like his brother Hex-T the cell conception is used again but this time with a special felt coating. The acoustic foam core is coated with special and fine felt particles which gives unique premium vision and soft feeling when you touch it. The coating process keeps the open cell structure of the foam core and increase the absorption properties.

APPLICATIONS Hex-Felt Raster

Phone Booths, Meeting Rooms, TV studios, Home Cinema, Music Rooms, Hotel receptions, Office premises, Vocal Classrooms, Auditoriums, Restaurants, Cafeterias, Live Performance Spaces, Public Spaces, etc.

TECHNICAL INFORMATION Hex-Felt Raster

Material: Acoustic foam and felt covering
Installation: On wall/ceiling attached with glue
Dimensions: 6x150mm, Width: 40mm, Diameter: 300mm
Weight: 0.15 kg
Color: 20 colors available

PERFORMANCE Hex-Felt Raster



According to ISO 354:2003

AUDIO DESIGNBG
Phone: (+359) 888 440504
Email: office@audio-designbg.com
web: www.audio-designbg.com

AUDIO DESIGNBG
Phone: (+359) 888 440504
Email: office@audio-designbg.com
web: www.audio-designbg.com

Acoustic Set office line





FEATURES acoustic set

Acoustic set® is a unique composition with a refined shape and design that can be placed on any wall or reception desk. The color composition of the five acoustic panels is specially selected and can be integrated into any office space. The bar code design creates visual and acoustic masterpieces when you installed on the wall/ceiling. The colors are deep and play with your senses while breaks your perception for casual and tedious office interior. The color scheme can be individually designed to be installed on the wall resulting improved diffusion and absorption.

APPLICATIONS acoustic set

Private Offices, Print Rooms, Drawing Rooms, Hotel Reception, Offices, Art Galleries, Hospitals, Call Centers, Dental Centers, Conference Rooms, Classrooms, Auditoriums, etc.

TECHNICAL INFORMATION acoustic set

Material: acoustic foam with textile veil
Fire Rating: Foam - M1; Textile Veil BS:5852
Installation: On wall attached with glue
Dimensions: 1700 x 900 mm, Thickness: 40mm
Weight: 4.0 kg
Color: custom colors available



PERFORMANCE acoustic set



Code RASTER office line

FEATURES Code Raster

Code Raster® is made from 50mm acoustic PET panel coated with polyester textile veil and designed for absorption in mid/high frequencies. The bar code design creates visual and acoustic masterpieces when you installed on the wall/ceiling. The colors are deep and play with your senses while breaks your perception for casual and tedious office interior. The color scheme can be individually designed to be installed on the wall resulting improved diffusion and absorption.

APPLICATIONS Code Raster

Private Offices, Print Rooms, Drawing Rooms, Hotel Reception, Offices, Art Galleries, Hospitals, Call Centers, Dental Centers, Conference Rooms, Classrooms, Auditoriums, etc.

TECHNICAL INFORMATION Code Raster

Material: PET panel – 50mm coated with color polyester textile veil
Fire Rating: Foam - M1; Textile Veil BS:5852
Installation: On wall/ceiling attached with glue
Dimensions: 2300 x 500 x 50 mm, Thickness: 50mm
Weight: 4.5 kg
Color: 13 colors available

PERFORMANCE Code Raster



Triplet RASTER office line



FEATURES Triplet Raster

Code Raster® is made from 40mm acoustic foam panel coated with polyester textile veil and designed for absorption in mid/high frequencies. The bar code design creates visual and acoustic masterpieces when you installed on the wall/ceiling. The colors are deep and play with your senses while breaks your perception for casual and tedious office interior. The color scheme can be individually designed to be installed on the wall resulting improved diffusion and absorption.

APPLICATIONS Triplet Raster

Private Offices, Print Rooms, Drawing Rooms, Hotel Reception, Offices, Art Galleries, Hospitals, Call Centers, Dental Centers, Conference Rooms, Classrooms, Auditoriums, etc.

TECHNICAL INFORMATION Triplet Raster

Material: PET panel coated with color polyester textile veil
Fire Rating: Foam - M1; Textile Veil BS:5852
Installation: On wall/ceiling attached with glue
Dimensions: 500 x 500 x 710 mm, Thickness: 40mm
Weight: 1 kg
Color: 13 colors available

PERFORMANCE Triplet Raster



Hang-O RASTER office line

FEATURES Hang-o Raster

Hang-o panel® is made from high density acoustic foam coated with textile veil and designed for hang down installation on the ceiling. The hang down design creates additional air cavity between the panel and ceiling resulting increased absorption in low frequencies. The Hang-o panel can be installed on the ceiling in front of the HVAC shafts resulting increased noise absorption without decreasing the air flow. The acoustic design allows creating a hanging panel grid on the ceiling resulting improved absorption in all frequencies.

APPLICATIONS Hang-o Raster

Open Space Office, Private Offices, Print Rooms, Hospitals, Call Centers, Sport Halls, Phone Boots, Conference Rooms, Classrooms, Auditoriums, Cafeterias, Public Spaces, etc.

TECHNICAL INFORMATION Hang-o Raster

Material: Acoustic foam coated with color textile veil
Fire Rating: Foam - M1; Textile Veil BS:5852
Installation: On ceiling attached with adjustable spacers
Dimensions: 500 x 500 x 50 mm or 1000 x 1000 x 50mm
Weight: 1.6 kg or 3.3 kg (including spacers)
Color: 13 colors available

PERFORMANCE Hang-o Raster



Hang-O Trick office line

FEATURES Hang-o Trick

The Trickl® panel is triangle absorber aimed to ceiling installations. The big area and hang down design creates additional air cavity between the panel and ceiling resulting increased absorption in low frequencies. The Hang-o panel can be installed on the ceiling in front of the HVAC shafts resulting increased noise absorption without decreasing the air flow. The acoustic design allows creating a hanging panel grid on the ceiling resulting improved absorption in all frequencies.

APPLICATIONS Hang-o Trick

Open Space Office, Private Offices, Print Rooms, Hospitals, Call Centers, Sport Halls, Phone Boots, Conference Rooms, Classrooms, Auditoriums, Cafeterias, Public Spaces, etc.

TECHNICAL INFORMATION Hang-o Trick

Material: Acoustic foam with color textile veil
Fire Rating: Foam - M1; Textile Veil BS:5852
Installation: On ceiling attached with adjustable spacers
Dimensions: 1400 x 1400 x 1400 mm, Thickness – 40mm
Weight: 4 kg (including spacers)
Color: 13 colors available

PERFORMANCE Hang-o Trick



Primo screen office line





FEATURES primo screen

Primo screen® is made from high density acoustic foam coated with textile veil and designed for maximum acoustic absorption. The curved edge design creates additional office comfort combined with excellent acoustic performance. The primo screen can be installed on any office desk with special steel brackets which gives the possibility to adjust the height of the screen.

ACOUSTIC CORE primo screen



TECHNICAL INFORMATION primo screen

Material: Acoustic foam coated with color textile veil
Fire Rating: Foam - M1; Textile Veil BS:5852
Installation: On any office desks with metal bracket
Dimensions: 1600 x 555 x 34 mm, 1400 x 555 x 34 mm, 1200 x 555 x 34 mm, **Custom SIZE available**
Weight: max 11 kg (including brackets)
Color: 13 colors available

ACOUSTIC PERFORMANCE primo screen



Quadro screen office line



FEATURES quadro screen

Quadro screen® is made from high density acoustic foam coated with textile veil and designed for maximum acoustic absorption. The curved edge design creates additional office comfort combined with excellent acoustic performance. The Quatro screen can be installed on any 4 people desk because of his unique free standing design .

ACOUSTIC CORE quadro screen



TECHNICAL INFORMATION quadro screen

Material: Acoustic foam coated with color textile veil
Fire Rating: Foam - M1; Textile Veil BS:5852
Installation: On any office 4 people desk
Dimensions: 1600 x 450 x 24 mm, 1400 x 450 x 24 mm, 1200 x 450 x 24 mm, **Custom SIZE available**
Weight: max 3 kg per desk
Color: 13 colors available

ACOUSTIC PERFORMANCE quadro screen



T-Shape screen office line

FEATURES T-shape screen

T-shape screen® is made from 4cm high density acoustic foam for extreme acoustic absorption. The design of this screen is especially developed for three desk configuration which make him suitable choice in this scenario. The industrial raw acoustic foam makes the T-shape screen to feel like he will cancel any sound in the room and he will. The design is free standing which means that you will not damage your existing desks.

ACOUSTIC FOAM TYPE T-shape screen

Open Space Office, Private Offices, Call Centers, Conference Rooms, Classrooms, Auditoriums, etc.

TECHNICAL INFORMATION T-shape screen

Material: Acoustic foam coated with color textile veil
Fire Rating: Foam - M1;
Installation: On any office 3 people desk
Dimensions: 1600 x 550 x 34 mm, 1400 x 550 x 34 mm, 1200 x 450 x 34 mm, **Custom SIZE available**
Weight: max 4 kg per desk
Color: Foam texture



Hang-o Industrial industrial line

FEATURES Hang-o industrial

Hang-o Industrial® is an acoustic baffle made for ceiling hanging installations in big industrial premises. His big surface area and special suspension system makes it very effective in any industrial unit where noise pollution exists. The core of the Hang-o is made from nonflammable acoustic foam with high acoustic absorption capacity in wide frequency range. The outfit is removable textile veil which gives the opportunity to be maintained periodically. The preferred installation way is in cross section network which gives maximum absorption efficiency.

APPLICATIONS Hang-o industrial

Machine Rooms, Instrumental CNC workshop, industrial units, Semiconductors lines, Automotive facilities, Car Workshops, Tailoring workshops etc

TECHNICAL INFORMATION Hang-o industrial

Material: Acoustic foam coated with color textile veil
Fire Rating: Foam - M1; Textile Veil BS:5852
Installation: On Ceiling via rail system with metal hangers
Dimensions: 1000 x 700 x 50 mm
Weight: max 1,5 kg
Color: 13 colors available

ACOUSTIC PERFORMANCE Hang-o industrial



FAN Lamp lighting line

FEATURES lighting line

FAN Lamp® is an acoustic lighting fixture with unique design and functionality. Built by luxury textile veil and very absorbing acoustic core the FAN Lamp provides maximum acoustic performance. The light is provided by high quality LED elements with option for adjustable light strength. This means that the light from Fan Lamp can be adjusted to any room or premises to provide convenient and soft visual ambience.

APPLICATIONS lighting line

Open Space Office, Private Offices, Print Rooms, Hospitals, Call Centers, Sport Halls, Phone Boots, Conference Rooms, Classrooms, Auditoriums, Cafeterias, Public Spaces, etc.

TECHNICAL INFORMATION lighting line

Material: Acoustic felt 50mm coated with color textile veil
Fire Rating: Foam - M1; Textile Veil BS:5852
Power supply: 24 VDC, 9.0W/m, 120LED @ 1m
Color Temp: 4000 K, Lux: 800 lm/m
Installation: On Ceiling via 1mm metal ropes with metal hangers
Overall length: 1400 mm (One element length 700mm)
Thickness: 55mm
Weight: max 3,5 kg
Color: 13 colors available

Rayon Lamp lighting line

FEATURES lighting line

Rayon Lamp® is an acoustic lighting fixture with tri-ray 2D design. Built by luxury textile veil and very absorbing acoustic core the Rayon Lamp provides maximum acoustic performance. The light is provided by high quality LED elements with option for adjustable light strength. This means that the light from Fan Lamp can be adjusted to any room or premises to provide convenient and soft visual ambience.

APPLICATIONS lighting line

Open Space Office, Private Offices, Lobby areas,
Call Centers, Conference Rooms

TECHNICAL INFORMATION lighting line

Material: Acoustic felt 50mm coated with color textile veil
Fire Rating: Foam - M1; Textile Veil BS:5852
Power supply: 24 VDC, 9.0W/m, 120LED @ 1m
Color Temp: 4000 K, Lux: 800 lm/m
Installation: On Ceiling via 1mm metal ropes with metal hangers
Overall length: 1400 mm (One element length 700mm)
Thickness: 55mm
Weight: max 3,5 kg
Color: 13 colors available

Planar Lamp lighting line

FEATURES lighting line

Planar Lamp® is an acoustic lighting fixture with linear design and functionality. Built by luxury textile veil and very absorbing acoustic core the Planar Lamp provides maximum acoustic performance. The light is provided by high quality LED elements with option for adjustable light strength. This means that the light from Planar Lamp can be adjusted to any room or premises to provide convenient and soft visual ambience.

APPLICATIONS lighting line

Open Space Office, Private Offices, Print Rooms, Hospitals, Call Centers, Sport Halls, Phone Boots, Conference Rooms, Classrooms, Auditoriums, Cafeterias, Public Spaces, etc.

TECHNICAL INFORMATION lighting line

Material: Acoustic felt 50mm coated with color textile veil
Fire Rating: Foam - M1; Textile Veil BS:5852
Power supply: 24 VDC, 9.0W/m, 120LED @ 1m
Color Temp: 4000 K, Lux: 800 lm/m
Installation: On Ceiling via 1mm metal ropes with metal hangers
Overall length: 1000 mm
Thickness: 55mm
Weight: max 2.0 kg
Color: 13 colors available

AUDIO DESIGNBG
Phone: (+359) 888 440504
Email: office@audio-designbg.com
web: www.audio-designbg.com